FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Facility Site Basic identification inform	ation for a facility site, including the facility registry identifier, geographic address	, and geopolitica	l descriptors.
Facility Registry Identifier	The identification number assigned by the EPA Facility Registry System to uniquely identify a facility site.	A(12)	
State Facility Identifier	The unique identification number used by a state to identify a facility site.	A(12)	
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	RMP_FACILITY.FAC_NM
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)	RMP_FACILITY. FAC_STREET1_TX
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)	RMP_FACILITY. FAC_STREET2_TX
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for United States Postal Service (USPS) mail delivery.	A(60)	RMP_FACILITY. FAC_CITY_NM
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	RMP_FACILITY. FAC_STATE_CD FAC_COUNTY_FIPS_CD
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	RMP_FACILITY. COUNTY_NM
State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	RMP_FACILITY. FAC_STATE_CD

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	
Country Name	The name that represents a primary geopolitical unit of the world. Default: USA	A(44)	'USA'
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	RMP_FACILITY. FAC_ZIP_CD FAC_ZIP4_CD
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the Federal Government.	A(1)	
Tribal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land.	A(1)	
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Congressional District Number	The number that represents a Congressional District for a state within the United States.	A(2)	
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	
Hydrologic Cataloging Unit (HUC) Code	The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
EPA Region Code	The code that represents an EPA region.	A(2)	
Airshed Code	An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution.		
Census Block Code		A(15)	
Facility Site Type Name	The descriptive name for the type of site the facility occupies. Allowable Values: Stationary Mobile Pipeline Contaminated Site Network	A(20)	'STATIONARY'
Source of Data	The source of the associated facility site data.	A(25)	'RMP REPORTING FORM'
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	RMP_FACILITY. POSTMARK_DA {from most recent submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from most recent submission}
Environmental Interest The environmental permits	est and regulatory programs that apply to the facility site.		
Environmental Interest Type	The environmental permit or regulatory program that applies to the facility site. Allowable Values: (examples) Value RMP Reporter Meaning Clean Air Act RMP Facility	A(60)	'RMP REPORTER'
Environmental Information System Abbreviated Name	The abbreviated name that represents the name of an information management system for an environmental program.	A(20)	'RMP'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	RMP_FACILITY. EPA_FAC_ID
Fed/State Indicator Code	A flag which indicates whether the facility is tracked at the federal program level, or at the State program level only. Allowable Values: 'F' or 'S'	A(1)	'F'
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	RMP_FACILITY. POSTMARK_DA {from first submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from first submission}
Environmental Interest Start Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date. Allowable Values: (examples) First Reporting Year Earliest Inspection Date First Report Received Date Operations Start Date First Report Postmark Date Monitoring Start Date Original Permit Issue Date	A(50)	If POSTMARK_DA used 'FIRST REPORT POSTMARK DATE' If RECEIPT_DA used 'FIRST REPORT RECEIVED DATE'
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	RMP_FACILITY. DEREG_EFCTV_DA

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date. Allowable Values: (examples) Facility Inactive Date Year Reporting Stopped De-registration Effective Date Permit Expiration Date Reissued as General Permit Date Operations End Date Final Cleanup Date	A(50)	If END_DATE is not null, 'DE-REGISTRATION EFFECTIVE DATE'
Source of Data	The source of the associated environmental interest data.	A(25)	'RMP REPORTING FORM'
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date	RMP_FACILITY. POSTMARK_DA {from most recent submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from most recent submission}
Alternative Name An alternative, historic or p	program-specific name for the facility site.		
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	
Alternative Name Type	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local) .	A(25)	
Source of Data	The source of the associated alternative name data.	A(25)	
Last Reported Date	The most recent date the corresponding alternative name data was reported to the Source of Data.	Date	
Alternative Identifica An alternative identifier fo	tion r the facility, as maintained by an information management system for an environ	mental program.	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Alternative Identification Number Type	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(15)	
Alternative Identification Number	An alternative identification number maintained by an information management system for an environmental program.	A(30)	
Source of Data	The source of the associated alternative identification data.	A(25)	
Last Reported Date	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date	
the associated method, accienced with the associated method with the associated meth	of points, defined by latitude and longitude coordinates used to locate a facility site uracy, and description data. f RMP_FACILITY.FAC_LL_PASS_FL_CD= 'Y' (Consistent with county range of the angular distance on a meridian porth or south of the	f values).	1
Latitude Measure	The measure of the angular distance on a meridian north or south of the equator.	A(6) - A(10) DD.dddddd	RMP_FACILITY. FAC_LAT_DEC_MS
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	A(7) - A(11) DDD.dddddd	RMP_FACILITY. FAC_LONG_DEC_MS
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	A(6) in meters	
Geometric Type (Textual Data or Code Data acceptable)			
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)	
Horizontal Collection Meth	od (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	RMP_FACILITY. LLMTHD_COLLECT_ MTH_CODE
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)	
Horizontal Reference Datu	ım (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)	
Reference Point (Textual D	vata or Code Data acceptable)		
Code	The code that represents the place for which geographic coordinates were established.	A(3)	RMP_FACILITY. LLDSC_DESC_CAT_CODE
Text	The text that identifies the place for which geographic coordinates were established.	A(60)	
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo. *Remarks: Mandatory for all horizontal data collection methods except for methods using Global Positioning System (GPS).	A(10)	
Source of Data	The source of the associated geographic coordinates data.	A(25)	'RMP REPORTING FORM'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN		
Last Reported Date	The most recent date the corresponding geographic coordinates data was reported to the Source of Data.	Date	RMP_FACILITY. POSTMARK_DA {from most recent submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from most recent submission}		
\cup	Organization Affiliate A company, government body, or other type of organization that has some responsibility or role at the facility site.				
Affiliation Type	The name that describes the capacity or function that an organization serves for a facility site. Allowable Values (examples): Owner/Operator Responsible Party Operator Parent Company Owner	A (40)	'OWNER/OPERATOR'		
			'PARENT COMPANY 1'		
			'PARENT COMPANY 2'		
Affiliation Start Date	The date on which the affiliation between the facility site and the organization began.	Date	RMP_FACILITY. POSTMARK_DA {of oldest submission that references this affiliation} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {of oldest submission that references this affiliation}		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Affiliation End Date	The date on which the affiliation between the facility site and the organization ended.	Date	RMP_FACILITY. POSTMARK_DA {remains null until affiliation changes; becomes start_date of new affiliation} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {when affiliation changes; becomes start_date of new affiliation}
E-mail Address	The text that describes an electronic mail address of an organization.	A(120)	
Telephone Number	The primary telephone number of an organization affiliated with the facility site.	A(30)	RMP_FACILITY. OPRTR_PHONE_NU
FAX Number	The telephone number to which a facsimile can be sent to an organization affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an organization affiliated with the facility site.	A(30)	
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	RMP_FACILITY. OPRTR_NM
			RMP_FACILITY. PARNT_CO_1_NM
			RMP_FACILITY. PARNT_CO_2_NM

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	RMP_FACILITY. FAC_DUNS_NU
			RMP_FACILITY PARNT_CO_1_DB_NUM
			RMP_FACILITY. PARNT_ CO_2_DUNS_NU
Organization Type	The type of organization (e.g., federal, state, private). Allowable Values (examples): Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other	A(40)	
Company Division Name	The name of a division or a department of a company.	A(50)	
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Ultimate Parent Name	The legal, formal name of the ultimate parent company of the organization affiliated with the facility site.	A(50)	
Ultimate Parent DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site	A(9)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	RMP_FACILITY. OPRTR_STREET1_TX
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	RMP_FACILITY. OPRTR_STREET2_TX
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	RMP_FACILITY. OPRTR_CITY_NM
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	RMP_FACILITY. OPRTR_STATE_CD
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	RMP_FACILITY.FOREIGN_ STATE_TX {if RMP_FACILITY.OPRTR_ST ATE_CD is null}

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO Table.Column
Mailing Address Country Name	The name of the country where the addressee is located. Default: United States	A(44)	'USA' {If RMP_FACILITY. FOREIGN_COUNTRY_CD = 'US' or is null} {Else} RMP_FACILITY.FOREIGN_ COUNTRY_CD
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	RMP_FACILITY. OPRTR_ZIPCODE_CD OPRTR_ZIP4_CD {If RMP_FACILITY. OPRTR_ZIPCODE_CD is not null} {Else} RMP_FACILITY. FOREIGN_ZIP_CD
Source of Data	The source of the associated mailing address data.	A(25)	'RMP REPORTING FORM'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN	
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	RMP_FACILITY. POSTMARK_DA {from most recent submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from most recent submission}	
Individual Affiliate An individual person who l	Individual Affiliate An individual person who has some responsibility or role at the facility site.			
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Regulatory Contact Cognizant Official Public Contact Responsible Party	A (40)	'RESPONSIBLE PARTY' 'EMERGENCY CONTACT'	
	Technical Contact Emergency Contact			
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	RMP_FACILITY. RECEIPT_DA {of oldest submission that references this affiliation} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {of oldest submission that references this affiliation}	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	RMP_FACILITY. RECEIPT_DA {when affiliation changes; becomes start_date of new affiliation} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {when affiliation changes; becomes start_date of new affiliation}
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	RMP_FACILITY. FAC_EMAIL_ID
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	RMP_FACILITY. FAC_PHONE_NU
			RMP_FACILITY. ER_CONTCT_PHONE_NU
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
			RMP_FACILITY. ER_CONTCT_24HR_NU 'x' ER_CONTCT_PIN_NU
Individual Full Name	The complete name of a person, including first name, middle name or initial, and surname.	A(70)	RMP_FACILITY. RMP_CONTACT_NM

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
			RMP_FACILITY. ER_CONTCT_NM
Individual Title Text	The title held by a person in an organization.	A(40)	RMP_FACILITY. RMP_TITLE_NM
			RMP_FACILITY. ER_CONTCT_TITLE_NM
Company Division Name	The name of a division or a department of a company.	A(50)	
Source of Data	The source of the associated individual data.	A(25)	'RMP REPORTING FORM'
Last Reported Date	The most recent date the corresponding individual data was reported to the Source of Data.	Date	RMP_FACILITY. POSTMARK_DA {from most recent submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from most recent submission}
Mailing Address (Rel The standard address used	ated to Facility) to send mail to a facility site.		
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site.	A (40)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	
Source of Data	The source of the associated mailing address data.	A(25)	
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	
Standard Industrial Classification Definition: The Standard Industrial Classification (SIC), or type of business activity, occurring at the facility site.			
Standard Industrial Classification (SIC) Code	The code that represents the economic activity of a company (4-digits).	A(4)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN	
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The SIC Code represents the primary activity occurring at the facility site. Secondary The SIC Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)		
Source of Data	The source of the associated SIC data.	A(25)		
Last Reported Date	The most recent date the corresponding SIC data was reported to the Source of Data.	Date		
North American Industry Classification The North American Industry Classification System (NAICS) code, or type of industrial activity, occurring at the facility site.				
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)	RMP_PROCESS_NAICS. NAICS_NAICS_CD {Pull all distinct NAICS codes for the EPA_FAC_ID}	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RMP*INFO TABLE.COLUMN
NAICS Primary Indicator	The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The NAICS Code represents the primary activity occurring at the facility site. Secondary The NAICS Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)	'UNKNOWN'
Source of Data	The source of the associated NAICS data.	A(25)	'RMP REPORTING FORM'
Last Reported Date	The most recent date the corresponding NAICS data was reported to the Source of Data.	Date	RMP_FACILITY. POSTMARK_DA {from most recent submission} If POSTMARK_DA null, RMP_FACILITY. RECEIPT_DA {from most recent submission}